

Arborea floor

code AR000.927WD/49




PRODUCT DESCRIPTION

Luminaire specially designed for lighting plants, consisting of an aluminium body that can be fixed to the ground, but, with the strap as an optional accessory, becomes a fixture for fixing to trees. Integrated LED source. Power supply unit included. Colour rendering index CRI>90. The luminaire comes with 2 m. cable. Degree of protection IP66.

PRODUCT SPECS

Light source	LED
Absorbed power	6,7 W
Color temperature	2700K
Color rendering index CRI	>90
Optic	Wide 38°
Finishing	Bronze
Luminous flux of the product	630 lm
Luminous efficiency	94 lm/W
Life time estimate	3SDCM 50000h L90 B10 Ta 25°C
Protocol	Dimmable Dali
Energy efficiency class	D
Dimension	L210xH144 Ø60 mm
IP Grade	Ip66
Power supply	220-240V 50-60Hz



WEB PAGE



OPTIONAL ACCESSORIES

Short picket

Picket H167 mm, diam.40 mm, support attachment for ground fixing.



code BU034

Picket H167 mm, diam.40 mm, support attachment for ground fixing.

Technical Sheet



Arborea – Tree anchor belt



code AR033

Tree anchor belt 1 m.

Technical Sheet



