

Arborea floor


code AR000.940W/49

**PRODUCT DESCRIPTION**

Luminaire specially designed for lighting plants, consisting of an aluminium body that can be fixed to the ground, but, with the strap as an optional accessory, becomes a fixture for fixing to trees. Integrated LED source. Power supply unit included. Colour rendering index CRI>90. The luminaire comes with 2 m. cable. Degree of protection IP66.

PRODUCT SPECS

Light source	LED
Absorbed power	6,7 W
Color temperature	4000K
Color rendering index CRI	>90
Optic	Wide 38°
Finishing	Bronze
Luminous flux of the product	700 lm
Luminous efficiency	104 lm/W
Life time estimate	3SDCM 50000h L90 B10 Ta 25°C
Protocol	On/Off
Energy efficiency class	D
Dimension	L210xH144 Ø60 mm
IP Grade	Ip66
Power supply	220-240V 50-60Hz

**WEB PAGE**

OPTIONAL ACCESSORIES

Short picket

Picket H167 mm, diam.40 mm, support attachment for ground fixing.



code BU034

Picket H167 mm, diam.40 mm, support attachment for ground fixing.

Technical Sheet



Arborea – Tree anchor belt



code AR033

Tree anchor belt 1 m.

Technical Sheet



